	2012 January	February	March	Anril	May	June	July	August	September	October	Novembe	r
# new patients	ZOIZ January	rebradiy	Widicii	/ tpi ii	Iviay	June	July	ragast	September	October	November	
# of total patients actively in clinic												
# of visits												
# no show for visit												
# Medicaid / Medicare												
# Commercial insurance												
# Uninsured / indigent												
# tobacco-free 30 days												
# tobacco-free 90 days												
# tobacco free at 6 months												
MTM Outcomes												
Unneccessary Drug Treatment (Tot	al)											
1.No valid Medication Indication												
2. Duplicative Therapy												
3. Medication being used to treat a	n											
avoidable ADR												
Need for Additional Treatment (Tot	tal)											
1. Drug added for synergy												
2. Untreated Indication (i.e. ACEI in												
CHF)												
3. Preventative Treatment												
Total Indication DRPs												
Ineffective Drug (Total)												

More effective drug available
Dosage form is in appropriate

2. Needs additional drug monitoring

3. Dosing interval not frequent enough

Inadequate Dose (Total)

1. Dose too low

4. Incorrect administration (dose too low)

Total Effectiveness DRPs

Adverse Drug Reaction identified (Total)

- 1. Unsafe drug for patient (includes drug/disease interaction, excessive dose)
- 2. Drug interaction
- 3. Incorrect administration (unsafe)

Excessive Dose (No ADR) (Total)

- 1. Dose too high
- 2. Needs additional monitoring
- 3. Frequency inappropriate (resulting in high dose)
- 4. Duration too long

Total Safety DRPs

Medication Errors (Total)

- 1. No med error / event, but potential for ADE identified
- 2. Med error/event DID NOT reach patient
- 3. Med error/event reached patient, but no harm
- 4. Med error/event reached patient, monitoring or intervention required to confirm no harm

Total Medication Errors

Nonadherence (Total)

- 1. Patient doesn't understand directions
- 2. Patient prefers not to take medication
- 3. Patient forgets to take medication

- 4. Drug is unavailable
- 5. Patients can't afford medication
- 6. Patient can't swallow/administer

Adherence problem resolved

Total Nonadherent

Cost Avoidance (Total identified)

Less expensive equivalent alternative (estimated annual savings)

Alternative route (IV to PO) (estimated annual savings)